Drugs of Abuse, Street Names, and Effects Adapted from Commonly Abused Drugs (NIDA)

Classification/Category Name (Street Names)	Intoxication Effects	Withdrawal Effects	Chronic Use Effects
Sedatives/Depressants			
Alcohol	Sedation, lower anxiety, dizziness, confusion, psychomotor retardation, behavioral disinhibition, respiratory depression, blackouts, sleep, coma	Agitation, confusion, hallucinosis, seizures, delirium tremens	Wernicke encephalopathy, Korsakoff amnesia, working memory and attention deficits, decreased visuospatial functioning [Brown: 2008]
Barbiturates (Amytal, Nembutal, Seconal, phenobarbital: barbs, reds, redbirds, phennies, tooies, yellows, yellow jackets)	Sedation, lower anxiety, dizziness, confusion, psychomotor retardation, behavioral disinhibition, respiratory depression, blackouts, sleep, coma	Agitation, confusion, hallucinosis, seizures, delirium tremens	Unknown
Benzodiazepines (Ativan, Halcion, Librium, Valium, Xanax: candy, downers,sleeping pills, tranks, K, K-pin, eggs, jellies, vallies, bars, Xanies, Z-bars)	Sedation, lower anxiety, dizziness, confusion, psychomotor retardation, behavioral disinhibition, respiratory depression, blackouts, sleep, coma	Agitation, confusion, hallucinosis, seizures, delirium tremens	Unknown
Methaqualone - synthetic barbiturate (quaalude, Sopor, Parest: ludes, mandrex, quad, quay)	Dizziness, nausea/vomiting, paresthesia, respiratory depression, confusion	Agitation, confusion, hallucinosis, seizures, delirium tremens	Erectile dysfunction, othereffects unknown
Cannabinoids			
<u>Hashish</u> (boom, chronic, gangster, hash, hash oil, hemp)	Conjunctival injection, increased appetite, dry mouth, tachycardia, impaired coordination and judgment, euphoria, sense of slowed thinking and reaction time	Irritability, anger, aggression, nervousness or anxiety, insomnia, decreased appetite, restlessness, depression, abdominal pain, tremor, sweating, fever, chills, headache	Cough, respiratory infections, impaired memory and learning, increased heart rate, anxiety, development of psychosis laterin life [Pope: 2001] [Moore: 2007]

Classification/Category Name (Street Names)	Intoxication Effects	Withdrawal Effects	Chronic Use Effects
Marijuana (420, blunt, dope, ganja, grass,herb, joints, Mary Jane, pot, honey oil, budder, reefer, sinsemilla, skunk, vaping, weed)	Conjunctival injection, increased appetite, dry mouth, tachycardia, impaired coordination and judgment, euphoria, sense of slowed thinking and reaction time	Irritability, anger, aggression, nervousness or anxiety, insomnia, decreased appetite, restlessness, depression, abdominal pain, tremor, sweating, fever, chills, headache	Cough, respiratory infections, EVALI, cannabinoid hyperemesis syndrome, impaired memory and learning, increased heart rate, anxiety, development of psychosis laterin life [Moore: 2007] [Schep 2020]
Synthetic cannabinoids (spice, K2, black mamba, blaze, bliss, fake pot, fake weed, genie, joker, moon rocks, Scooby snacks, skunk, smoke, Yucatan fire)	Altered sense of time, paranoia, psychosis (hallucinations, delusions, agitation, and violence)	Craving, nightmares and insomnia, sweating, nausea, tremor, headaches, fatigue, irritability, depression	Unknown
Nicotine			
Nicotine (chewing tobacco, snuff, cigarettes, vaping)	Nausea, vomiting, diarrhea, salivation, pallor, weakness, elevated BP/HR, tremor, cold sweats	Irritability, frustration, anger, anxiety, difficulty concentrating, increased appetite, restlessness, depressed mood, insomnia	Working memory and learning deficits [Kenney:2008]
Stimulants			
Amphetamine (bennies, black beauties, crosses, hearts, LA turnaround, speed, truck drivers, uppers)	Euphoria, hypervigilance, anxiety, anger, irritability, impaired judgment, autonomic instability, mydriasis, sweating and chills, decreased appetite and weight loss, psychomotor agitation, chest pain and cardiac arrhythmia, confusion, seizures, psychosis	Dysphoria, anhedonia, suicidality ("the crash"), fatigue, vivid and unpleasant dreams, sleep disturbance (insomnia or hypersomnia), psychomotor retardation, agitation	Tooth decay, gum disease, lossof smell, nasal damage, GI infection (loss of bowel tissue),poor nutrition, weight loss, attention and impulsecontrol deficits [Dalley: 2005]

Classification/Category Name (Street Names)	Intoxication Effects	Withdrawal Effects	Chronic Use Effects
Bath Salts (bliss, blue silk, cloud nine, ivory wave, lunar wave, red dawn, red dove, sextasy, stardust, vanilla sky, white burn, white china, white dove, white lightning, wicked x or xx)	Hallucinations, agitation, euphoria, paranoia, nightmares, insomnia, suicidal thoughts, prolonged panic attacks, fever, tinnitus, bruxism, muscle cramps, chest pain, seizures	Depression	Hypertension, renal failure, hepatotoxicity, skeletal muscle tissue breakdown
<u>Caffeine</u>	Anxiety, psychomotor agitation, restlessness, muscle twitching, diuresis,GI disturbance, >1 g - rambling speech, confusion, agitation, tinnitus, >10 g - seizures, respiratory failure, death	Headache, fatigue, anxiety, irritability, dysphoria, muscle pain/stiffness	Anxiety, tremor
Cocaine (blow, bump, C, candy, Charlie, coke, crack, flake, rock, snow, toot)	Euphoria, hypervigilance, anxiety, anger, irritability, impaired judgment, autonomic instability, mydriasis, sweating and chills, decreased appetite and weight loss, psychomotor agitation, chest pain and cardiac arrhythmia, confusion, seizures, psychosis	Dysphoria, anhedonia, suicidality ("the crash"), fatigue, vivid and unpleasant dreams, sleep disturbance (insomnia or hypersomnia), psychomotor retardation, agitation	Cognitive deficits [Hernandez: 2005] tooth decay, gum disease, loss of smell, nasal damage, GI infection (loss of bowel tissue), poor nutrition, weight loss, attention and impulse-control deficits [Dalley: 2005]
Khat (Abyssinian tea, African salad, kat, oat)	Euphoria, hyperarousal, increased heartrate and blood pressure, irritability, insomnia	Depression, nightmares, low energy	GI problems, tooth decay, gum disease, arrhythmia, myocardial infarction
Methamphetamine (chalk, crank, crystal, fire, glass, go fast, ice, meth, speed)	Euphoria, hypervigilance, anxiety, anger, irritability, impaired judgment, autonomic instability, mydriasis, sweating and chills, decreased appetite and weight loss, psychomotor agitation, chest pain and cardiac arrhythmia, confusion, seizures, psychosis	Dysphoria, anhedonia, suicidality ("the crash"), fatigue, vivid and unpleasant dreams, sleep disturbance (insomnia or hypersomnia), psychomotor retardation, agitation	Tooth decay, gum disease, loss of smell, nasal damage, GI infection (loss of bowel tissue), poor nutrition, weight loss, attention and impulsecontrol deficits [Dalley: 2005]

Classification/Category Name (Street Names)	Intoxication Effects	Withdrawal Effects	Chronic Use Effects
Opioids			
Heroin (brown sugar, China white, dope, H, horse, junk, smack)	Euphoria or dysphoria, impaired judgment, miosis, warm skin, flushing, drowsiness, slurred speech, impaired memory, respiratory depression, seizures	Dysphoria, GI symptoms (N/V, diarrhea), muscle and bone pain, lacrimation, rhinorrhea, yawning, mydriasis, piloerection, sweating, fever, insomnia	Abscesses, endocarditis, constipation, liver and kidney disease, pneumonia, cognitive deficits [Lyvers: 2003]
Natural opioids (morphine, codeine, thebaine) Semi-synthetic (hydromorphone, hydrocodone, oxycodone, heroin) Synthetic (fentanyl, pethidine, meperidine, methadone, tramadol)	Drowsiness, meiosis, confusion, slurred speech, constipation, respiratory depression, mood swings	Nausea/vomiting, muscle aches, bone pain, severe sweating, agitation, restlessness, diarrhea, excessive tearing and rhinorrhea, shivering, abdominal pain	Hyperalgesia [Brush 2021], constipation, tolerance, endocrinopathies, sleep disorders [Harned 2016]
Prescription opioids (codeine, hydrocodone, hydromorphone, meperidine, methadone, morphine, oxycodone, fentanyl)	Euphoria or dysphoria, impaired judgment, miosis, warm skin, flushing, drowsiness, slurred speech, impaired memory, respiratory depression, seizures	Dysphoria, GI symptoms (N/V, diarrhea), muscle and bone pain, lacrimation, rhinorrhea, yawning, mydriasis, piloerection, sweating, fever, insomnia	Abscesses, endocarditis, constipation, liver and kidney disease, pneumonia, cognitive deficits [Lyvers: 2003]
Hallucinogens			
Lysergic acid diethylamide (LSD, acid, blotter, boomers, cubes, microdot, yellow sunshines)	Mood change (anxiety or depression), fear of "losing one's mind," intense sensory experiences, paranoia, ideas ofreference, derealization, illusions or hallucinations, synesthesia, mydriasis. Tachycardia, sweating, palpitations, blurred vision, tremor, incoordination	Unknown	Scary flashbacks, psychosis, paranoia, mood swings

Classification/Category	Intoxication	Withdrawal	Chronic Use
<u>Name</u> (Street Names)	Effects	Effects	Effects
Mescaline (buttons, cactus, mesc, peyote)	Mood change (anxiety or depression), fear of "losing one's mind," intense sensory experiences, paranoia, ideas of reference, derealization, illusions or hallucinations, synesthesia, mydriasis. Tachycardia, sweating, palpitations, blurred vision, tremor, incoordination	Unknown	Scary flashbacks, psychosis, paranoia, mood swings
Phencyclidine (PCP, angel dust, boat, hog, love boat, peace pill)	Vertical or rotary nystagmus, hypertension, tachycardia, numbness, decreased pain response, ataxia, dysarthria, muscle rigidity, hyperacusis, seizures/coma, belligerence, agitation and violence, impulsiveness, impaired judgment, agitation	Lethargy, depression, cravings	Scary flashbacks, psychosis, paranoia, mood swings
Psilocybin (magic mushroom, purplepassion, shrooms)	Mood change (anxiety or depression), fear of "losing one's mind," intense sensory experiences, paranoia, ideas of reference, derealization, illusions or hallucinations, synesthesia, mydriasis. tachycardia, sweating, palpitations, blurred vision, tremor, incoordination	Unknown	Scary flashbacks, psychosis, paranoia, mood swings
3,4-methylenedioxymethamphetamine (MDMA, Adam, clarity, ecstasy, Eve, lover's speed, Molly, peace, STP, X, XTC)	Mood change (anxiety or depression), fear of "losing one's mind," intense sensory experiences, paranoia, ideas of reference, derealization, illusions or hallucinations, synesthesia, mydriasis, tachycardia, sweating, palpitations, blurred vision, tremor, incoordination	Unknown	Scary flashbacks, psychosis, paranoia, mood swings

Classification/Category Name (Street Names)	Intoxication Effects	Withdrawal Effects	Chronic Use Effects
Synthetic Cathinone (Bath salts, Flakka, Scarface, vanilla sky, white lightening)	Euphoria, Paranoia, hallucinations, increased friendliness or sex drive, panic attacks, and excited delirium or agitation. Increased HR, BP, and chest pain.	Depression, anxiety, tremors, insomnia, paranoia	
Inhalants			
Inhalants (laughing gas, poppers,snappers, whippets) Amyl nitrate, isobutyl nitrate, nitrous oxide	Dizziness, wheezing, nystagmus, slurred speech, unsteady gait, hyporeflexia, psychomotor retardation, incoordination, tremor, muscle weakness, diplopia, stupor, unconsciousness, impaired memory	Irritability, dysphoria, sleep disturbance, headache, dry mouth, lacrimation	Apathy, depression, sudden death (suffocation, cardiac arrhythmia), CT/MRI - diffuse atrophy with leukoence-phalopathy, areas of decreased cerebral blood flow, peripheral neuropathy, memoryloss, Parkinson-like movement disorders, cognitive impairment, subacute combined degeneration [Lan 2019] [Rosenberg:1988]
Over-the-Counter Medication			
Cough syrup/dextromethorphan (Robo, Robo-tripping, Triple C)	Euphoria, slurred speech, increased HR/BP, dizziness, nausea/vomiting, paranoia, altered visual perception	Unknown	Unknown

Classification/Category Name (Street Names)	Intoxication Effects	Withdrawal Effects	Chronic Use Effects
Anabolic Steroids			
Androl-50 (oxymetholone), Oxandrin (oxandrolone, formerly Anavar), Dianabol (methandrostenolone), Winstrol (stanozolol), Durabolin and Deca-Durabolin (nandrolone and nandrolone decanoate), Clen (clenbuterol, used for weight loss), Trenbol75 (trenbolone), Equipoise (boldenone, now only legally available in veterinary medicine formulations) ('Roids, juice, gym candy, andro, pumpers, stackers)	Not typically associated with an immediate "high," but rather with a delayed effect of muscle and performance enhancement, persistent use can lead to a dependence syndrome similar to opioid dependence. [Kanayama: 2009]	Mood swings, fatigue, restlessness, loss of appetite, insomnia, and severe depression if discontinued abruptly	Aggression, irritability, manic episodes, paranoia, delusions, and impaired judgment resulting from feelings of invincibility, hepatic dysfunction, renal dysfunction, hypertension, heart attacks, dyslipidemia with increased LDL and decreased HDL cholesterol, tumors of the liver and kidney, severe acne. Men - testicular atrophy, azoospermia, infertility, hair loss, gynecomastia, increased risk for prostate cancer. Women - growth of facial hair, male-pattern baldness, menstrual changes, clitoromegaly, deepened voice. Adolescents - early puberty, accelerated skeletal maturation with possible stunted growth and reduced height if anabolic steroids are taken prior to pubertal growth spurt [Casavant 2007]
Club Drugs / "Date-Rape" Drugs			
Gamma-hydroxybutyrate (GHB, Georgia home boy, grievous bodily harm, liquid ecstasy)	Euphoria, drowsiness, confusion, hallucinations, psychomotor agitation/excitation, low thyroid, low blood, pressure, low heart rate, unconsciousness, seizures, nausea/vomiting	Insomnia, anxiety, tremor, sweating, elevated heart rate and blood pressure	Unknown

Classification/Category Name (Street Names)	Intoxication Effects	Withdrawal Effects	Chronic Use Effects
Ketamine (Ketalar SV: cat Valium, K, Special K, vitamin K)	Attention/memory problems, dreamlike state, hallucinations, sedation, confusion, memory loss, profound psychomotor retardation, respiratory depression	Unknown	Depression, memory loss, kidney problems, bladder ulcers, and pain
Rohypnol/flunitrazepam (forget-me pill, Mexican Valium, R2, roche, roofies, roofinol, rope, rophies)	Sedation, lower anxiety, dizziness, confusion, psychomotor retardation, behavioral disinhibition, respiratory depression, blackouts, sleep, coma	Agitation, confusion, hallucinosis, seizures, delirium tremens	Unknown

Authors

Author: Travis Norseth, BS

Senior Author: Mary Steinmann, MD

Content First Published 5/2017

Content Last Updated: 8/2021

Bibliography

Brown SA, McGue M, Maggs J, Schulenberg J, Hingson R, Swartzwelder S, Martin C, Chung T, Tapert SF, Sher K, Winters KC, Lowman C, Murphy S. A developmental perspective on alcohol and youths 16 to 20 years of age.

Pediatrics. 2008;121 Suppl 4:S290-310. PubMed abstract / Full Text

Dalley JW, Theobald DE, Berry D, Milstein JA, Lääne K, Everitt BJ, Robbins TW.

Brush DE.

Complications of long-term opioid therapy for management of chronic pain: the paradox of opioid-induced hyperalgesia.

J Med Toxicol. 2012 Dec;8(4):387-92. doi: 10.1007/s13181-012-0260-0.

Casavant MJ, Blake K, Griffith J, Yates A, Copley LM.

Consequences of use of anabolic androgenic steroids.

Pediatr Clin North Am. 2007;54(4):677-90, x

Dalley JW, Lääne K, Pena Y, Theobald DE, Everitt BJ, Robbins TW.

Attentional and motivational deficits in rats withdrawn from intravenous self-administration of cocaine or heroin.

Psychopharmacology (Berl). 2005 Nov;182(4):579-87. doi: 10.1007/s00213-005-0107-3. Epub 2005 Oct 19.

Hernandez PJ, Kelley AE.

Cognitive sequelae of intravenous amphetamine self-administration in rats: evidence for selective effects on attentional performance.

Neuropsychopharmacology. 2005;30(3):525-37. PubMed abstract

Harned M, Sloan P.

Safety concerns with long-term opioid use.

Expert Opin Drug Saf. 2016 Jul;15(7):955-62. doi: 10.1080/14740338.2016.1177509. Epub 2016 Apr 26.

Kanayama G, Brower KJ, Wood RI, Hudson JI, Pope HG Jr.

Anabolic-androgenic steroid dependence: an emerging disorder.

Addiction. 2009;104(12):1966-78

Kenney JW, Gould TJ.

Cracking addiction the second time around: reconsolidation of drug-related memories.

Neuron. 2005;47(6):772-5. PubMed abstract

Lan SY, Kuo CY, Chou CC, Kong SS, Hung PC, Tsai HY, Chen YC, Lin JJ, Chou IJ, Lin KL; PCHAN Study Group.

Recreational nitrous oxide abuse related subacute combined degeneration of the spinal cord in adolescents - A case series and literature review.

Brain Dev. 2019 May;41(5):428-435. doi: 10.1016/j.braindev.2018.12.003. Epub 2019 Jan 2.

PMID: 30611595

Lyvers M, Yakimoff M.

Nicotine enhances context learning but not context-shock associative learning.

Behav Neurosci. 2008;122(5):1158-65. PubMed abstract / Full Text

Moore THM, Zammit S, Lingford-Hughes A, Barnes TRE, Jones PB, Burke M, Lewis G Neuropsychological correlates of opioid dependence and withdrawal.

Addict Behav. 2003;28(3):605-11. PubMed abstract

Moore THM, Zammit S, Lingford-Hughes A, Barnes TRE, Jones PB, Burke M et al.

Cannabis use and risk of psychotic or affective mental health outcomes: a systematic review

Lancet. 2007; 370:319-328.

Rosenberg NL, Kleinschmidt-DeMasters BK, Davis KA, et al.

Toluene abuse causes diffuse central nervous system white matter changes.

Ann Neurol 1988;23(6):611Y614.

Schep LJ, Slaughter RJ, Glue P, Gee P.

The clinical toxicology of cannabis.

N Z Med J. 2020 Oct 9;133(1523):96-103.

National Institute on Drug Abuse; National Institutes of Health; U.S. Department of Health and Human Services. https://www.drugabuse.gov/drug-topics/commonly-used-drugs-charts Accessed 8/20/2021.